

GARAGE DOORS SYSTEMS

PROFILES COLOUR RANGE

silver*	beige*	brown*	ivory*	black*	light grey	anthracite grey
white*	wood dark*	red*	fir green*	mahogany	ultra white	winchester
grey*	wood light*	green*	steel blue*	cherry	golden oak	wenge
gray aluminum	dark brown*	cream white*	blue*	nut	golden oak	mill finish**
	white - pearl matt*	light gray - pearl matt*	gray - pearl matt*	anthracite gray - pearl matt*	dark gray - pearl matt*	

The colours don't pattern faithfully upon the real colours. The availability of colours depends on the profiles' type.
 * Special color - on order: ** On request can be painted in any RAL color.



DRIVES AND ACCESSORIES



Motors



Photocells



Handles



Pole and key switches



Drive sockets



Sockets Chains



Control units with remote controllers



Touch bar



Smart Home Automation System



✓ Safety and comfort

✓ High quality, reliability, aesthetics

✓ Space saving, better visibility

BGR | BPR

GARAGE DOORS AND INDUSTRIAL GATES SYSTEMS

■ Garage doors can be assembled not only in buildings which are under construction, but also in existing buildings. They protect open areas of industrial halls, garages, warehouses or shopping centre against trespassing, burglary and weather related damage.

■ Thanks to the broad range of colours they're a perfect decorative element, evenly matched to the shape of a building. Garage Doors are made of high quality aluminium and have an increased resistance to abrasion and weather conditions.

■ One of gates advantages is space saving. The gate which works vertically is a perfect solution where a ramp to the garage is short or leads directly from the roadway. It improves significantly the safety of the driver because a raised curtain of the gate does not reduce the visibility.



INSTALLATION

BGR / SKO-P



BGR / SK




BGR / KNB



PROFILES

Aluminium profiles filled with CFC-free foam perforated or not perforated, type:



PA 52
profile height: 52 mm
thickness: 13 mm



PA 55
profile height: 55 mm
thickness: 14 mm



PA 77
profile height: 77 mm
thickness: 18,5 mm

Aluminium extruded profiles, type:




PE 55
profile height: 55 mm
thickness: 14 mm




PE 100
profile height: 100 mm
thickness: 25 mm

Supplementary aluminium profiles:



PER 77
profile height: 77 mm
thickness: 18,5 mm



PEW 77
profile height: 77 mm
thickness: 14,5 mm

INSTALLATION

BPR / KNS



BPR / KNJ



PROFILE

Aluminium extruded profiles, type:

Supplementary aluminium profiles:



PE 100
profile height: 100 mm
thickness: 25 mm



PER 100
profile height: 100 mm
thickness: 25 mm

