

✓ Modern design

✓ Security and comfort

✓ New generation construction



SKT OPOTERM

TOP MOUNTED ROLLER SHUTTER SYSTEM

■ Roller shutters in OPOTERM system are designed for use in newly raised buildings and for buildings during modernization. Thanks to broad colour range, they are an ideal decorative element, matching the buildings design.

■ Front of the shutter box is the base for any finishing material, so it stays an invisible part of buildings facade. The well-thoughtout construction of the roller shutters and good selection of materials ensures effective protection against unwelcome guests.

■ Furthermore, internal insulation of the shutter box provides an excellent thermal insulation, lowering temperature in summer time and costs of heating during colder seasons. Using the independent Moskito system allows for a insect-free interior while allowing in daylight and air.



TOP MOUNTED ROLLER SHUTTER SYSTEM

SHUTTER BOXES

SKT



SKT + MKT



DRIVES AND ACCESSORIES



Outside box coiler for strap



Winches for rope or strap



Handles



Motors



Timer switches



Remote controllers



Pole and key switches



Smart Home Automation System



Air Inlet

TOP MOUNTED ROLLER SHUTTER SYSTEM

PROFILES

Aluminium profiles filled with CFC-free foam perforated or not perforated, type:



PA 37
profile height: 37 mm
thickness: 8,5 mm




PA 39
profile height: 39 mm
thickness: 9 mm




PA 40
profile height: 40 mm
thickness: 8,7 mm



PA 45
profile height: 45 mm
thickness: 9 mm




PA 52
profile height: 52 mm
thickness: 13 mm




PA 55
profile height: 55 mm
thickness: 14 mm

Profiles PVC, type:



PT 37
profile height: 37 mm
thickness: 8 mm



PT 52
profile height: 52 mm
thickness: 14 mm

PROFILES COLOUR RANGE

silver	beige	brown	cream white	bordeau*	light grey	anthracite grey
white	wood dark	yellow*	ivory*	black*	ultra white	basalt grey*
grey	wood light	red*	fir green*	mahogany	golden oak	quartz grey*
dark beige	dark brown	green*	steel blue*	nut	golden oak	concrete grey*
				gray aluminum	wenge	winchester

The colours don't pattern faithfully upon the real colours. The availability of colours depends on the profiles' type.

* Special color - on order.

** On request can be painted in any RAL color.



Doors and windows **25%** of heat loss



Doors and windows **80%** of sunlight



ROLLER SHUTTERS AND ENERGY BALANCE OF A BUILDING


■ Do you know that:

In winter, the windows and doors contribute to a loss of 25% of the heat and in summer they absorb the sunlight in 80%?


To save energy during the winter and avoid excessive rooms' heating in the summer it is worth to apply the Aluprof roller shutters.

Aluprof roller shutters help to reduce energy costs during the whole year up to 30%.

With Aluprof roller shutters



GAIN better insulation in winter



REDUCE the heat flow in the summer